

參考文獻

- [1] AntZ., <http://www.antz.com>
- [2] ActiveWorld, <http://www.activeworlds.com/>
- [3] R. Aylett and M. Cavazza, “Intelligent Virtual Environment a State of the Art Report,” *Proceedings of Eurographics 2001-STARs*, 2001.
- [4] M. Anderson, E. McDaniel, and S. Chenney, “Constrained Animation of Flocks,” *Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation 2003*, pp. 286–297, 2003.
- [5] Bugs Life., <http://bugslife.com>
- [6] O. B. Bayazit, J.-M. Lien, and N. M. Amato, “Better Flocking Behaviors in Complex Environments Using Global Roadmaps,” *Proceedings of the 1995 IEEE/RSJ International Conference on Intelligent Robots and Systems*, pp. 528-534, 1995.
- [7] E. Bouvier, E. Cohen, and L. Najman., “From Crowd Simulation to Airbag Deployment: Particle Systems, a New Paradigm of Simulation,” *Journal of Electronic Imaging*, Vol. 6, No.1, pp. 94-107, 1997.
- [8] D. Brogan and J. Hodgins, “Group Behaviors for Systems with Significant Dynamics,” *Autonomous Robots*, 4, pp. 137-153, 1997.
- [9] D.C. Brogan, R.A. Metoyer, and J.K. Hodgins, “Dynamically Simulated Characters in Virtual Environments,” *IEEE Computer Graphics and Applications*, Vol. 18, No5, pp. 58-69, 1998.
- [10] A. Braun, S. R. Musse, L. P. L. de Oliveira, and B. E. J. Bodmann, “Modeling

- Individual Behaviors in Crowd Simulation,” *Proceedings of CASA: Computer Animation & Social Agents*, pp. 143-148, 2003.
- [11] J. J. Fruin, *Pedestrian Planning and Design*. Metropolitan Association of Urban Designers and Environmental Planners, 1971.
- [12] J. Funge, X. Tu, and D. Terzopoulos, “Cognitive Model: Knowledge, Reasoning, and Planning for Intelligent Characters,” *Proceedings of ACM SIGGRAPH*, pp. 29-38, 1999.
- [13] N. Farenc, R. Boulic, and D. Thalman, “An Informed Environment Dedicated to the Simulation of Virtual Humans in Urban Context,” *Proceedings of EUROGRAPHICS*, pp. 309-318, 1999.
- [14] N. Farenc, S. Musse, and E. Schweiss, “A Paradigm for Controlling Virtual Humans in Urban Environment Simulations,” *Applied Artificial Intelligence*, Vol. 14, pp. 69-91, 2000.
- [15] J. Grefenstette, “Optimization of Control Parameters for Genetic Algorithms”, *IEEE Transactions on Systems, Man and Cybernetics*, Vol.16 , pp. 122-128, 1986.
- [16] J.H. Holland, *Adaptation in Natural and Artificial Systems*. The University of Michigan Press, Ann Arbor, MI, 1975.
- [17] D. Helbing and P. Molnar, “Social Force Model for Pedestrian Dynamics,” *Physical Review*, pp. 4282-4286, 1995.
- [18] D. Helbing, I. Farkas, and T. Vicsek, “Simulating Dynamical Features of Escape Panic,” *Nature*, 407(28):487–490, 2000.
- [19] J.C. Latombe, *Robot Motion Planning*, Kluwer, Boston, MA, 1991.
- [20] T.Y. Li, Y.J. Jeng, and S.I. Chang, “Simulating Virtual Human Crowds with a Leader-Follower Model,” *Proceedings of the Computer Animation Conference*, pp.

93-102, 2001.

- [21] J.R. Koza, *Genetic Programming : On the Programming of Computers by Means of Natural Selection*, Cambridge, MA, MIT Press, 1992.
- [22] M. Kallmann, A. Aubel, T. Abaci, and D. Thalmann, “Planning Collision-Free Reaching Motions for Interactive Object Manipulation and Grasping,” *Computer 86 Graphic Forum*, Vol. 22, pp. 313-322, 2003.
- [23] A. Kamphuis and M. H. Overmars, “Finding Path for Coherent Groups using Clearance,” *ACM SIGGRAPH/Eurographics Symposium on Computer Animation*, pp.193-202, 2004.
- [24] M. Mitchell, *An Introduction to Genetic Algorithms*, Cambridge, MA , MIT Press, 1998.
- [25] G. A. Miller, “The Magical Number Seven, Plus or Minus Two: Some :Limits on Our Capacity for Processing Information” *Psychological Review*, Vol. 63, pp. 81–97, 1956.
- [26] Massive, <http://www.massivesoftware.com>
- [27] S.R. Musse and D. Thalmann, “Hierarchical Model for Real Time Simulation of Virtual Human Crowds,” *IEEE Transactions on Visualization and Computer Graphics*, 7(2), pp. 152–164, 2001.
- [28] G. Mitsuo and C. Runwei, *Gentic Algorithms & Engineering Design*, John Wily & Sons. Inc, 1997.
- [29] T.Osaragi, “Modeling of Pedestrian Behavior and Its Application to Spatial Evaluation,” *Proceedings of Autonomous Agents and Multiagent Systems*, Vol. 2, pp. 836–843, 2004.
- [30] C.W. Reynolds, “Flocks, Herds, and Schools: A Distributed Behavioral Model,” *Computer Graphics*, pp. 25-34, 1987.
- [31] C.W. Reynolds, “Steering Behaviors for Autonomous Characters,” *Proceedings of*

Game Developers Conference, pp. 763-782, 1999.

- [32] S. J. Rymill and N. A. Dodgson, "Psychologically-Based Vision and Attention for the Simulation of Human Behaviour," *Proceedings of the 3rd international conference on Computer graphics and interactive techniques in Australasia and South East Asia*, pp. 229-236, 2005.
- [33] M. Sung, M. Gleicher, and S. Chenney., "Scalable Behaviors for Crowd Simulation," *Computer Graphics Forum*, 23(3):519–528, 2004.
- [34] G. K. Still, *Crowd Dynamics*, PhD thesis, University of Warwick, UK, 2000.
- [35] N. Saiwaki, T. Komatsu, T. Yoshida, and S. Nishida, "Automatic Generation of Moving Crowd Using Chaos Model," *Proceedings of IEEE Conference on System, Man and Cybernetics*, pp. 3715-3721, 1997.
- [36] F. Tecchia, C. Loscos, Y. Chrysanthou, "Visualizing Crowds in Real-Time," *Computer Graphics Forum*, Vol. 21, 2002.
- [37] Takeshi Sakuma, Tomohiko Mukai, and Shigeru Kuriyama, "Psychological Model for Animating Crowded Pedestrians," *Proceedings of CASA: Computer Animation & Social Agents*, pp. 343-351, 2005.
- [38] J.B. Victor and J.L. Adler, "Emergent Fundamental Pedestrian Flows from Cellular Automata Microsimulation," *Transportation Research Record* 1644, pp. 29-36, 1998.
- [39] J.B. Victor and J.L. Adler, "Cellular Automata Microsimulation for Modeling Bi-directional Pedestrian Walkways," *Transportation Research Part B*, 35, pp. 293-312, 2001.